L	Hits	Search Text	DB	Time stamp
Number 1	36	(((server proxy) nearll (stor\$4 sav\$4) nearll (e-mail email (electronic adj2	USPAT; EPO; JPO;	2004/08/02 18:18
		mail))) and ((server proxy) near8 (send\$4	DERWENT;	-
		<pre>forward\$4 transmi\$7 transfer\$7 receiv\$4 notif\$5 notification) near11 (notic\$4</pre>	IBM_TDB	
		receipt indication messag\$4) near11		
		<pre>(multipl\$4 second multi-user pluralit\$4 different) near3 (user member client</pre>		
		subscrib\$4 recipient\$4)) ) not (((server		
		proxy) near11 (stor\$4 sav\$4) near11		
		<pre>(e-mail email (electronic adj2 mail))) and ((send\$4 forward\$4 transmi\$7</pre>		
		transfer\$7 download\$4 receiv\$4 notif\$5		
		notification) nearll (notic\$4 receipt indication messag\$4) nearll (multipl\$4		
		pluralit\$4 different) near3 (user member		
		client subscrib\$4 recipient\$4)) and (request\$4 near5 (e-mail email		
		(electronic adj2 mail))))		
2	31	<pre>(microsoft oracle sun (international near2 machines)).as. and ((server prox\$4</pre>	USPAT; EPO; JPO;	2004/08/02 18:18
		database) near5 (email messag\$6 messeng\$7	DERWENT;	10:10
		e-mail (electr\$5 adj2 mail))) and	IBM_TDB	
		((notif\$6 notification alert\$5) near5 sender)		
3	31	((server proxy) near11 (stor\$4 sav\$4)	USPAT	2004/08/02
		near11 (e-mail email (electronic adj2 mail))) and ((server proxy) near8 (send\$4		18:18
		forward\$4 transmi\$7 transfer\$7 receiv\$4		
		notif\$5 notification) near11 (notic\$4 receipt indication messag\$4) near11		
		(multipl\$4 pluralit\$4 different) near3		9
		(user member client subscrib\$4		
4	116	recipient\$4)) (determin\$6 with (multipl\$4 plurali\$5)	USPAT	2004/08/02
		with (user client subscriber member		18:19
		recipient\$4) same (email\$4 e-mail\$4 mail\$4))		
-	18	(receiv\$4 same (e-mail email (electronic	USPAT;	2002/09/23
		adj (communication adj notification)) messag\$4) same (notif\$4 notification	EPO; JPO; DERWENT;	10:43
		indicat\$5 flag\$5 acknowledg\$5)) and	IBM_TDB	
		(send\$4 near5 (e-mail email (electronic adj (communication adj notification))		
		messag\$4) near10 without near10		
		request\$5) and (track\$4 near10 (e-mail email (electronic adj (communication adj		
		notification)) messag\$4))	<b> </b>	
-	5	((receiv\$4 same (e-mail email (electronic	USPAT;	2002/09/23
		adj (communication adj notification)) messag\$4) same (notif\$4 notification	EPO; JPO; DERWENT;	10.44
		indicat\$5 flag\$5 acknowledg\$5)) and	IBM_TDB	
		<pre>(send\$4 near5 (e-mail email (electronic adj (communication adj notification))</pre>		
		messag\$4) near10 without near10		
		request\$5) and (track\$4 near10 (e-mail email (electronic adj (communication adj		
		notification)) messag\$4))) and (delet\$5		
		same (e-mail email (electronic adj (communication adj notification))		
		messag\$4)) and (indicat\$5 notification		
		notif\$4 acknowledg\$5)	<u> </u>	

	1 1 2	//	IICDAM.	2002/00/23
_	13	((receiv\$4 same (e-mail email (electronic	USPAT;	2002/09/23
		adj (communication adj notification))	EPO; JPO;	10:42
		messag\$4) same (notif\$4 notification	DERWENT;	
		indicat\$5 flag\$5 acknowledg\$5)) and	IBM_TDB	
		(send\$4 near5 (e-mail email (electronic		
		adj (communication adj notification))		
		messag\$4) near10 without near10		
		request\$5) and (track\$4 near10 (e-mail		
		email (electronic adj (communication adj		
		notification)) messag\$4))) not		
		(((receiv\$4 same (e-mail email		
		(electronic adj (communication adj		·
		notification)) messag\$4) same (notif\$4	1	
		notification indicat\$5 flag\$5		
		acknowledg\$5)) and (send\$4 near5 (e-mail		
		email (electronic adj (communication adj		
		notification)) messag\$4) near10 without		
		near10 request\$5) and (track\$4 near10	1	1 .
	1	(e-mail email (electronic adj		
		(communication adj notification))		
		messag\$4))) and (delet\$5 same (e-mail		
		email (electronic adj (communication adj		
		notification)) messag\$4)) and (indicat\$5		
		notification notif\$4 acknowledg\$5))	USPAT;	2002/09/23
_	2	1 '	EPO; JPO;	12:10
		adj (communication adj notification))	DERWENT;	12.10
		messag\$4) same (notif\$4 notification		
		indicat\$5 flag\$5 acknowledg\$5)) and	IBM_TDB	
		(send\$4 near10 (indicat\$5 notification		
		notif\$4 acknowledg\$5) near10 without	·	
		near10 request\$5) and (track\$4 near10		
		(e-mail email (electronic adj		
		(communication adj notification))		
		messag\$4))		
_	11	(receiv\$4 same (e-mail email (electronic	USPAT;	2002/09/23
		adj (communication adj notification))	EPO; JPO;	12:43
		messag\$4) same (notif\$4 notification	DERWENT;	
		indicat\$5 flag\$5 acknowledg\$5)) and	IBM_TDB	
		((send\$4 near10 (indicat\$5 notification	*	
		notif\$4 acknowledg\$5) near10 without		
		near10 request\$5) same (recipient user		
		client)) and (indicat\$5 notification		
		notif\$4 acknowledg\$5)		
-	177		USPAT;	2002/09/23
1		adj mail\$4)) same (notif\$4 notification	EPO; JPO;	16:57
		indicat\$5 flag\$5 acknowledg\$5)) and	DERWENT;	
		(notif\$4 notification indicat\$5 flag\$5	IBM_TDB	
		acknowledg\$5).ti. and ((receiv\$4 send\$4	_	
		recipient\$4 user client) near5 (notif\$4		
		notification indicat\$5 flag\$5		
	1	acknowledg\$5) near5 (e-mail email		
]		(electronic adj (communication adj		
		notification)) messag\$4))		
_	26	1	USPAT;	2002/09/23
		adj mail\$4)) same (notif\$4 notification	EPO; JPO;	17:14
		indicat\$5 flag\$5 acknowledg\$5)) and	DERWENT;	
		(notif\$4 notification indicat\$5 flag\$5	IBM TDB	
		acknowledg\$5).ti. and (((receiv\$4 send\$4	1	
1				
1		recipient\$4 user client) near5 (notif\$4		
		notification indicat\$5 flag\$5		
		acknowledg\$5) near5 (e-mail email		
ĺ		(electronic adj (communication adj		
1		notification)) messag\$4)) same without)		1

				1 0 0 0 0 / 0 0 / 0 0
	15	<pre>(receiv\$4 same (e-mail email (electronic adj mail\$4)) same (notif\$4 notification indicat\$5 flag\$5 acknowledg\$5)) and (notif\$4 notification indicat\$5 flag\$5 acknowledg\$5).ti. and (((receiv\$4 send\$4 recipient\$4 user client) near5 (notif\$4 notification indicat\$5 flag\$5 acknowledg\$5) near5 (e-mail email (electronic adj (communication adj notification)) messag\$4)) same without) and (request\$5 near6 (e-mail email (electronic adj (communication adj notification)) messag\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 17:15
_	181	receiv\$4 near5 (e-mail email (electronic adj (communication adj notification)) messag\$4) near5 (notif\$4 notification indicat\$5 flag\$5) and 709/206.ccls.	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/09/24
. —	27	<pre>(receiv\$4 near5 (e-mail email (electronic adj (communication adj notification)) messag\$4) near5 (notif\$4 notification indicat\$5 flag\$5) and 709/206.ccls.) and (request\$5 near10 (e-mail email electronic)) and (delet\$5 near10 (e-mail email electronic))</pre>	USPĀT	2002/09/24 15:31
_	131		USPAT	2002/09/24
_	72		USPAT	2002/09/24 10:51
	46		USPAT -	2002/09/24 15:51
	34		USPAT	2002/09/24 16:05
	181		USPAT	2002/09/25 13:16
	72	l '	USPAT	2002/09/25

	101	((receiv\$4 near5 (e-mail email (electronic adj (communication adj notification)) messag\$4) near5 (notif\$4 notification indicat\$5 flag\$5) and 709/206.ccls.) and (request\$5 near10 (e-mail email electronic) messag\$4) and (delet\$5 near10 (e-mail email electronic) messag\$4)) and ((encrypt\$6 cipher\$4 decrypt\$6 cryptography symmetric-key public-key private key) same ((indicat\$5 notification notif\$4 acknowledg\$5) (e-mail email (electronic adj (communication adj notification)) messag\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/09/25 13:19
	88		USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/09/25 13:20
	50	(receiv\$4 near5 (e-mail email (electronic adj (communication adj notification)) messag\$4) near5 (notif\$4 notification indicat\$5 flag\$5) and 709/206.ccls.) and ((administrator supervisor agent monitor\$4 master) near10 (e-mail email electronic))	USPAT	2003/02/26 11:50
The state of the s	11		USPAT	2003/02/26
	51	(((receiv\$4 near5 (e-mail email (electronic adj (communication adj notification)) messag\$4) near5 (notif\$4 notification indicat\$5 flag\$5) and 709/206.ccls.) and (request\$5 near10 (e-mail email electronic) messag\$4) and (delet\$5 near10 (e-mail email electronic) messag\$4)) and ((encrypt\$6 cipher\$4 decrypt\$6 cryptography symmetric-key public-key private key) same ((indicat\$5 notification notif\$4 acknowledg\$5) (e-mail email (electronic adj (communication adj notification)) messag\$4))) and (((receiv\$4 near5 (e-mail email (electronic adj (communication adj notification)) messag\$4) near5 (notif\$4 notification indicat\$5 flag\$5) and 709/206.ccls.) and (request\$5 near10 (e-mail email electronic) messag\$4) and (delet\$5 near10 (e-mail email electronic) messag\$4)) and	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/26 11:51
	27	((delet\$5 stor\$4 sav\$4) near6 tim\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/26 11:51

_	61	((server proxy) near11 (stor\$4 sav\$4)	USPAT	2003/07/11
		nearl1 (e-mail email (electronic adj2		14:14
		mail))) and ((send\$4 forward\$4 transmi\$7		
		transfer\$7 receiv\$4 notif\$5 notification)		
		near11 (notic\$4 receipt messag\$4) near11		
		(multipl\$4 pluralit\$4 different) near3		
	07	(user member client subscrib\$4))	IICDAM	2002/07/11
_	97	, , , , , , , , , , , , , , , , , , ,	USPAT	2003/07/11
		near11 (e-mail email (electronic adj2		18:13
		<pre>mail))) and ((send\$4 forward\$4 transmi\$7 transfer\$7 receiv\$4 notif\$5 notification)</pre>		
		near11 (notic\$4 receipt indication		
		messag\$4) near11 (multipl\$4 pluralit\$4		
		different) near3 (user member client		
		subscrib\$4 recipient\$4))		
_	26	((server proxy) near11 (stor\$4 sav\$4)	USPAT	2003/07/11
		near11 (e-mail email (electronic adj2		15:50
:		mail))) and ((send\$4 forward\$4 transmi\$7		
		transfer\$7 download\$4 receiv\$4 notif\$5		
		notification) near11 (notic\$4 receipt		
	1	indication messag\$4) near11 (multipl\$4		
		pluralit\$4 different) near3 (user member		
	1	client subscrib\$4 recipient\$4)) and		
		(request\$4 near5 (e-mail email		
		(electronic adj2 mail)))		
_	17	(((server proxy) near11 (stor\$4 sav\$4)	USPAT;	2003/07/11
		nearl1 (e-mail email (electronic adj2	EPO; JPO;	18:21
		mail))) and ((server proxy) near8 (send\$4	DERWENT;	
		forward\$4 transmi\$7 transfer\$7 receiv\$4	IBM_TDB	
		notif\$5 notification) near11 (notic\$4	ļ	
		receipt indication messag\$4) near11		
		(multipl\$4 pluralit\$4 different) near3		
		(user member client subscrib\$4		
1		recipient\$4)) ) not (((server proxy)		
		nearl1 (stor\$4 sav\$4) nearl1 (e-mail		
		email (electronic adj2 mail))) and		
		((send\$4 forward\$4 transmi\$7 transfer\$7		
		download\$4 receiv\$4 notif\$5 notification)		
		near11 (notic\$4 receipt indication		
		messag\$4) near11 (multipl\$4 pluralit\$4		
		different) near3 (user member client		
		subscrib\$4 recipient\$4)) and (request\$4		
		<pre>near5 (e-mail email (electronic adj2 mail))))</pre>		
_	31		USPAT	2003/07/11
	) 31	nearl1 (e-mail email (electronic adj2		18:22
		mail))) and ((server proxy) near8 (send\$4		
		forward\$4 transmi\$7 transfer\$7 receiv\$4		
		notif\$5 notification) near11 (notic\$4		
		receipt indication messag\$4) near11		
		(multipl\$4, second multi-user pluralit\$4		
-		different) near3 (user member client		
		subscrib\$4 recipient\$4))		
-	603	·	USPAT	2003/07/16
		(electr\$5 adj2 (mail messag\$6		17:11
		messeng\$7)))) and ((notif\$6 notification		
		alert\$5) near11 (user member client		
		subscriber recipient receiver) near11		
		(messag\$6 messeng\$7 email e-mail		
		(electr\$5 adj2 mail\$4 )))		
-	75	1 1 1	USPAT	2003/07/16
		(electr\$5 adj2 (mail messag\$6		17:25
		messeng\$7)))) and ((notif\$6 notification		
		alert\$5) nearl1 (user member client		1
		subscriber recipient receiver) near11		
		(messag\$6 messeng\$7 email e-mail		
		(electr\$5 adj2 mail\$4 ))) and (track\$4		
		near7 (messag\$6 messeng\$7 email e-mail		
1		(electr\$5 adj2 mail\$4 )))	<u> </u>	<u></u>

-	43	(america adj online) and ((server prox\$4) near11 (email e-mail (electr\$5 adj2 (mail messag\$6 messeng\$7)))) and ((notif\$6	USPAT	2003/07/16 17:35
		notification alert\$5) near11 (user member client subscriber recipient receiver) near11 (messag\$6 messeng\$7 email e-mail		
_	5	<pre>(electr\$5 adj2 mail\$4 ))) (america adj online).as. and ((server prox\$4) and (email e-mail (electr\$5 adj2 (mail messag\$6 messeng\$7)))) and</pre>	USPAT	2003/07/16 18:01
		<pre>((notif\$6 notification alert\$5) near11 (user member client subscriber recipient receiver) near11 (messag\$6 messeng\$7 email e-mail (electr\$5 adj2 mail\$4 )))</pre>		-
	20	<pre>((email e-mail (electr\$5 adj2 (mail messag\$6 messeng\$7))) and (notif\$6 notification alert\$5)).ti.</pre>	USPAT	2003/07/17 13:52
_	31	((server prox\$4) near11 (email e-mail (electr\$5 adj2 (mail messag\$6 messeng\$7)))) and ((notif\$6 notification alert\$5) near11 (user member client	USPAT	2003/07/17 09:19
		subscriber recipient receiver) near11 (messag\$6 messeng\$7 email e-mail (electr\$5 adj2 mail\$4 ))) and (track\$4		
		near7 (messag\$6 messeng\$7 email e-mail (electr\$5 adj2 mail\$4 ))) and ((larg\$5 big\$5 oversiz\$4) near7 (messag\$6 mail\$4 messeng\$7 email e-mail (electr\$5 adj2 mail\$4 )))		
_	19	<pre>((email e-mail (electr\$5 adj2 (mail messag\$6 messeng\$7))) and (notif\$6 notification alert\$5)).ti. and ((sav\$4 stor\$7) same (email e-mail (electr\$5 adj2 (mail messag\$6 messeng\$7)))) and (notif\$6</pre>	USPAT	2003/07/17 13:57
_	14	notification alert\$5) ((email e-mail (electr\$5 adj2 (mail messag\$6 messeng\$7))) and (notif\$6 notification alert\$5)).ti. and ((sav\$4 stor\$7) same (email messag\$6 messeng\$7 e-mail (electr\$5 adj2 mail))) and (notif\$6 notification alert\$5) and	USPAT	2003/07/17 14:21
	172	<pre>((server prox\$4) same (email messag\$6 messeng\$7 e-mail (electr\$5 adj2 mail)))</pre>	USPAT;	2003/07/21
	173	<pre>(microsoft oracle sun (international near2 machines)).as. and ((server prox\$4 database) near7 (sav\$4 stor\$7) near7 (email messag\$6 messeng\$7 e-mail (electr\$5 adj2 mail))) and (notif\$6 notification alert\$5)</pre>	EPO; JPO; DERWENT; IBM_TDB	17:16
_	7	<pre>(microsoft oracle sun (international near2 machines)).as. and ((server prox\$4 database) near7 (sav\$4 stor\$7) near7 (email messag\$6 messeng\$7 e-mail (electr\$5 adj2 mail))) and ((notif\$6</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 17:21
_	6	notification alert\$5) near5 sender) (microsoft oracle sun (international near2 machines)).as. and ((server prox\$4 database) near7 (sav\$4 stor\$7) near7 (email messag\$6 messeng\$7 e-mail	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 17:26
:		(electr\$5 adj2 mail))) and ((notif\$6 notification alert\$5) near5 sender) and server		
	<del></del>	<u> </u>		